



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/850,203	05/08/2001	Yuji Saito	101213-00009 9728		
75	90 05/30/2006	EXAMINER			
ARENT FOX KINTNER PLOTKIN & KAHN, PLLC			DOVE, TRACY MAE		
Suite 600 1050 Connecticut Avenue, N.W.			ART UNIT	PAPER NUMBER	
Washington, DC 20036-5339			1745		
			DATE MAILED: 05/30/2006		

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application	No.	Applicant(s)				
Office Action Summary		09/850,203		SAITO ET AL.				
		Examiner		Art Unit				
		Tracy Dove		1745				
Period fo	The MAILING DATE of this communic or Reply	ation appears on the co	over sheet with the c	correspondence a	ddress			
WHIC - Exte after - If NC - Failu Any	ORTENED STATUTORY PERIOD FO CHEVER IS LONGER, FROM THE MA nsions of time may be available under the provisions of SIX (6) MONTHS from the mailing date of this community period for reply is specified above, the maximum stature to reply within the set or extended period for reply we reply received by the Office later than three months after the part of the provision of the provis	ILING DATE OF THIS 37 CFR 1.136(a). In no event, nication. tory period will apply and will evill, by statute, cause the application.	COMMUNICATION however, may a reply be tin spire SIX (6) MONTHS from tion to become ABANDONE	N. nely filed the mailing date of this D (35 U.S.C. § 133).	~			
Status								
1)	Responsive to communication(s) filed	on 22 March 2006.						
·	•) ☐ This action is non	-final.					
3)□	<u> </u>							
•	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.							
Disposit	ion of Claims							
4)⊠	Claim(s) 2,3,5 and 11-17 is/are pendi	ng in the application.						
,—	4a) Of the above claim(s) is/are withdrawn from consideration.							
5)□	☐ Claim(s) is/are allowed.							
6)⊠	Claim(s) <u>2,3,5 and 11-17</u> is/are rejected.							
7)								
8)□	Claim(s) are subject to restricti	on and/or election req	uirement.					
Applicat	ion Papers							
9)[The specification is objected to by the	Examiner.						
•	The drawing(s) filed on is/are:		objected to by the	Examiner.				
·	Applicant may not request that any object	ion to the drawing(s) be	neld in abeyance. Se	e 37 CFR 1.85(a).				
	Replacement drawing sheet(s) including t	he correction is required	if the drawing(s) is ob	jected to. See 37 0	CFR 1.121(d).			
11)	The oath or declaration is objected to	by the Examiner. Note	the attached Office	Action or form P	PTO-152.			
Priority (under 35 U.S.C. § 119							
•	Acknowledgment is made of a claim fo ☐ All b)☐ Some * c)☐ None of:	or foreign priority unde	r 35 U.S.C. § 119(a)-(d) or (f).				
•	1. Certified copies of the priority d	ocuments have been	received.					
	2. Certified copies of the priority d	ocuments have been	received in Applicat	ion No				
	3. Copies of the certified copies of	f the priority document	s have been receiv	ed in this Nationa	al Stage			
	application from the Internation	al Bureau (PCT Rule	17.2(a)).					
* (See the attached detailed Office action	for a list of the certifie	d copies not receive	ed.				
Attachmer								
	e of References Cited (PTO-892) on of Draftsperson's Patent Drawing Review (PT) Interview Summary Paper No(s)/Mail D					
3) Infor	mation Disclosure Statement(s) (PTO-1449 or Per No(s)/Mail Date	TO/SB/08) 5) Notice of Informal F		ГО-152)			

Application/Control Number: 09/850,203 Page 2

Art Unit: 1745

DETAILED ACTION

This Office Action is in response to the communication filed on 3/22/06. Applicant's

arguments have been considered, but are not persuasive. Claims 2, 3, 5 and 11-17 are pending.

This Action is made FINAL, as necessitated by amendment.

Claims Analysis

As shown in Figure 3 of the present specification and described at paragraph [0030], lead

8 electrically connects the gas diffusion electrodes 3 associated with the passages 4 and 6 to each

other, and connects them to an external circuit. Similarly, lead 9 electrically connects the gas

diffusion electrodes 3 associated with the passages 5 and 7 to each other, and connects them to

an external circuit. Thus, the casing must contain leads (interconnects) is order to retrieve the

electrochemical power from the cell. The fuel cell must have an external circuit in order for the

electrochemical reaction to occur.

Claim Objections

Claims 14-16 are objected to under 37 CFR 1.75(c), as being of improper dependent form

for failing to further limit the subject matter of a previous claim. Applicant is required to cancel

the claim(s), or amend the claim(s) to place the claim(s) in proper dependent form, or rewrite the

claim(s) in independent form.

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the

subject matter which the applicant regards as his invention.

Art Unit: 1745

Claim 17 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. The claim recites "the pair of gas diffusion electrodes" and "respectively", which is improper.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 2, 3, 5 and 12-17 are rejected under 35 U.S.C. 102(b) as being anticipated by Zwick et al., US 4,499,663.

Zwick teaches a method of fabricating a monolithic core for a solid oxide fuel cell. The solid oxide fuel cell comprises cathode and anode materials sandwiching electrolyte material there between. The solid oxide fuel cell has a plurality of substantially parallel core passageways alternately having respectively the inside faces thereof with only the anode material or with only the cathode material exposed. The method consists of building up the electrolyte, anode and cathode materials by depositing each material individually. Each material deposit is sequentially applied for one cycle and where the depositing cycle is repeated many times until the material buildup is sufficient to formulate the core (abstract). A specific feature of Zwick is making the solid oxide fuel cell core by building up the separate material layers that form the core in a multiple step sequential manner with minute or thin deposits of each material being applied endwise to the wall that is being fabricated, or axially along the passageways being formed for

Page 4

confining the fuel and oxidant designed to flow through the fuel cell core (3:66-4:5). The method allows core passageway arrays of virtually any complicated cross sections to be formed (4:22-25). The complicated passageway core arrays extend axially (4:38-41). The fuel passageways are formed with only anode material defining the exposed passageway walls and the oxidant passageways are formed with only cathode material defining the exposed passageway walls (7:6-11). The electrode materials are applied in a material-layer-by-material-layer buildup (8:64) using a material discharging apparatus such as painting, spraying, vapor deposition or the like (9:17-19). In another embodiment of Zwick, the respective deposits of the cathode and anode by using the respective templates would be the same while the deposits of the electrolyte between the buildups of the cathode and anode might be by jet spraying (without the blocking templates) (10:5-13). The gas passageways have cross dimensions slightly less across the opening of the passageway (non-uniform) (9:48-61).

Thus the claims are anticipated.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claim 11 is rejected under 35 U.S.C. 103(a) as being unpatentable over Zwick et al., US 4,499,663.

Zwick teaches a method of fabricating a monolithic core for a solid oxide fuel cell. The solid oxide fuel cell comprises cathode and anode materials sandwiching electrolyte material

Application/Control Number: 09/850,203 Page 5

Art Unit: 1745

there between. The solid oxide fuel cell has a plurality of substantially parallel core passageways alternately having respectively the inside faces thereof with only the anode material or with only the cathode material exposed. The method consists of building up the electrolyte, anode and cathode materials by depositing each material individually. Each material deposit is sequentially applied for one cycle and where the depositing cycle is repeated many times until the material buildup is sufficient to formulate the core (abstract). A specific feature of Zwick is making the solid oxide fuel cell core by building up the separate material layers that form the core in a multiple step sequential manner with minute or thin deposits of each material being applied endwise to the wall that is being fabricated, or axially along the passageways being formed for confining the fuel and oxidant designed to flow through the fuel cell core (3:66-4:5). The method allows core passageway arrays of virtually any complicated cross sections to be formed (4:22-25). The complicated passageway core arrays extend axially (4:38-41). The fuel passageways are formed with only anode material defining the exposed passageway walls and the oxidant passageways are formed with only cathode material defining the exposed passageway walls (7:6-11). The electrode materials are applied in a material-layer-by-materiallayer buildup (8:64) using a material discharging apparatus such as painting, spraying, vapor deposition or the like (9:17-19). In another embodiment of Zwick, the respective deposits of the cathode and anode by using the respective templates would be the same while the deposits of the electrolyte between the buildups of the cathode and anode might be by jet spraying (without the blocking templates) (10:5-13). The gas passageways have cross dimensions slightly less across the opening of the passageway (non-uniform) (9:48-61).

Art Unit: 1745

Zwick does not explicitly state at least one gas passage is formed by mis-registering of neighboring layers of material of the material deposits of the electrodes.

However, the invention as a whole would have been obvious to one having ordinary skill in the art at the time the invention was made because Zwick teaches virtually any complicated cross sections may be formed using the material-layer-by-material layer method (4:22-25). The complicated passageway core arrays extend axially (4:38-41). Therefore, Zwick at least suggests the claimed invention because it teaches a gas passage having virtually any complicated cross section may be formed. One of skill would have known that the method of Zwick could have been used to produce the mis-registered gas passageway of the claimed invention.

Response to Arguments

Applicant's arguments filed 3/22/06 have been fully considered but they are not persuasive. Applicant argues Zwick fails to disclose or suggest a high polymer electrolytic material that surrounds the electrodes 30,32. However, Zwick teaches a preferred fuel cell is comprised solely and exclusively of the active anode, cathode, electrolyte and interconnect material, and with no nonactive materials for support (4:6-10). Zwick teaches the passageways 20 for the fuel are formed with only anode material 30 defining the exposed passageway walls while the passageways 26 for the oxidant are formed with only cathode material 32 defining the exposed passageway walls. The passageway walls may be separated *by either or both* an electrolyte wall portion 36 or an interconnect wall portion 38 (7:6-19). Zwick teaches the core 14 is comprised solely or exclusively of the active anode, cathode, electrolyte *or* interconnect materials, respectively (8:39-44). Thus, Zwick teaches and suggests the anode and cathode may be surrounded by only electrolyte material 36.

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tracy Dove whose telephone number is 571-272-1285. The examiner can normally be reached on Monday-Thursday (9:00-7:30).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Pat Ryan can be reached on 571-272-1292. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR

Application/Control Number: 09/850,203

Art Unit: 1745

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Page 8

May 23, 2006

TRACY DOVE